


Lamp illumination :



Package:

Packing Box : L51*W36*H39CM

Material : K=K

QTY : 20 PCS/CTN

G.W : 22.5 KG

Product Spec:

| Electrical Characteristics | | Optical Properties | | |
|--|-----------------------------------|------------------------|-------------------------|-------|
| Power Supply | Normal | LED Type | Sanan SMD2835 | |
| Input Voltage | 12V DC | LED Q'ty | 40 pcs | |
| Rated Power | 20W | Lumen | 1600 lm | |
| Power Factor | 0.95 | CRI | ≧ 80 Ra | |
| Waterproof | IP65 | Beam Angle | 120° | |
| Life Time | ≧ 50000H | CCT | warm white | 3000K |
| | | | | 4000K |
| | | | Natural white | 5000K |
| | | | Pure white | 5700K |
| | | | | 6000K |
| Product Material | | | | |
| Power Wire | Body material | | Electronic safety grade | |
| 3*0.75mm² 0.5M (Rubber cable L=0.5M) | Aluminum + Toughened glass | | Class I | |
| Working Temperature | | -30~+60℃ | | |
| LED Junction Temperature | | ≤80℃ | | |
| Security Requirement | | CE | | |
| Environmental Directives | | ROHS | | |
| Product Dimension | | L185*W160*H50mm | | |
| N.W | | 1 KG | | |

LED

Flood Light Datasheet



| | |
|--------------|-----------------|
| PRODUCT NAME | 20W Flood Light |
| PRODUCT NO | 68412 |